

BLUE LINER

High-quality brown testliner made of 100% recycled fibres.
Presents and protects the final product with the best optical effect.

Grade Description	Nominal grammage g/m ²	Moisture content %	Burst strength kPa	SCT cd kN/m
Test method	ISO 536	ISO 287	ISO 2759	ISO 9895
Tolerance	+/- 3%	+/- 0.5%	+/- 10%	+/- 10%
Blue Liner 70 g/m ²	70	8	130	1.00
Blue Liner 80 g/m ²	80		165	1.32
Blue Liner 90 g/m ²	90		209	1.54
Blue Liner 100 g/m ²	100		242	1.76
Blue Liner 110 g/m ²	110		264	1.87
Blue Liner 120 g/m ²	120		286	2.09
Blue Liner 125 g/m ²	125		297	2.20
Blue Liner 130 g/m ²	130		308	2.31
Blue Liner 135 g/m ²	135		330	2.42



Valid: from October 2013

BLUE PAPER

Blue Paper SAS
4, rue Charles Friedel
CS 30009
F – 67017 Strasbourg Cedex

sales@bluepaper.eu
www.bluepaper.eu
Phone +33 (0)3 88 41 75 32
Fax +33 (0)3 88 41 75 98